

LETTER OF AGREEMENT

between

vACC Germany

and

vACC Austria

München FIR

Wien FIR

Effective: December 30th, 2021 (AIRAC2113)

1 General.

1.1 Purpose.

The purpose of this Letter of Agreement is to define the coordination procedures to be applied between München FIR and Wien FIR when providing ATS to air traffic (IFR/VFR) on the VATSIM network.

All information and procedures described in this Letter of Agreement shall not be used for real world purposes.

1.2 Operational Status.

All operational significant information and procedures contained in this Letter of Agreement shall be distributed to all concerned controllers by appropriate means. This Letter of Agreement itself constitutes public information.

1.3 Validity.

This Letter of Agreement becomes effective on December 30th, 2021 (AIRAC2113) and supersedes the Letter of Agreement between München FIR and Wien FIR dated November 4th 2021.

Jannik Vogel
München FIR, NAV Chief
vACC Germany

Jakob Engelbrecht
Wien FIR, VACC Austria
vACC Austria

2 Areas of Responsibility & Sectorization

2.1 Areas of Responsibility.

The lateral and vertical limits of the respective areas of responsibility are as follows:

2.1.1 München FIR.

Lateral limits: München FIR as described in AIP Germany

Vertical limits: GND – FL660

http://nav.vatsim-germany.org/files/edmm/charts/misc/public/EDMM_CTR_Sectors.pdf

2.1.2 Wien FIR.

Lateral limits: Wien FIR as described in AIP Austria

Vertical limits: GND – FL660

https://charts.vacc-austria.org/LOVV/LOVV_Enroute_ATC%20Sectors_09092020.pdf

2.2 Sectorization.

2.2.1 München FIR.

2.2.1.1 Sector Eggenfelden (EGG).

Lateral limits: see Appendix A

Vertical limits: GND – FL315

Responsible ATS unit (in order of precedence):

1. EDMM_E_CTR (München Radar), 129.550
 2. EDMM_R_CTR (München Radar), 132.550
 3. EDMM_A_CTR (München Radar), 129.100
 4. EDMM_Z_CTR (München Radar), 134.150
 5. EDMM_CTR (München Radar), 124.050
 6. EURM_CTR (Maastricht Radar), 135.450 (above FL245)
- Remark: EURM_CTR is an ATS unit of EuroCenter vACC.

2.2.1.2 Sector Traun (TRU).

Lateral limits: see Appendix A

Vertical limits: GND – FL315

Responsible ATS unit (in order of precedence):

1. EDMM_U_CTR (München Radar), 132.650
 2. EDMM_N_CTR (München Radar), 124.825
 3. EDMM_Z_CTR (München Radar), 134.150
 4. EDMM_R_CTR (München Radar), 132.550
 5. EDMM_CTR (München Radar), 124.050
 6. EURM_CTR (Maastricht Radar), 135.450 (above FL245)
- Remark: EURM_CTR is an ATS unit of EuroCenter vACC.

2.2.1.3 Sector Tegernsee (TEG).

Lateral limits: see Appendix A

Vertical limits: GND – FL315

Responsible ATS unit (in order of precedence):

1. EDMM_T_CTR (München Radar), 133.670
2. EDMM_U_CTR (München Radar), 132.650
3. EDMM_Z_CTR (München Radar), 134.150
4. EDMM_R_CTR (München Radar), 132.550
5. EDMM_CTR (München Radar), 124.050
6. EURM_CTR (Maastricht Radar), 135.450 (above FL245)

2.2.1.4 Sector Zugspitze (ZUG).

Lateral limits: see Appendix A

Vertical limits: GND – FL315

Responsible ATS unit (in order of precedence):

1. EDMM_Z_CTR (München Radar), 134.150
 2. EDMM_U_CTR (München Radar), 132.650
 3. EDMM_R_CTR (München Radar), 132.550
 4. EDMM_CTR (München Radar), 124.050
 5. EURM_CTR (Maastricht Radar), 135.450 (above FL245)
- Remark: EURM_CTR is an ATS unit of EuroCenter vACC.

2.2.1.5 Sector Donau (DON)

Lateral limits: see Appendix B

Vertical limits: FL315 - FL660

Responsible ATS unit (in order of precedence):

1. EDUU_D_CTR (München Radar), 132.720
 2. EDUU_L_CTR (München Radar), 127.300
 3. EDUU_R_CTR (München Radar), 136.400
 4. EDMM_R_CTR (München Radar), 132.550
 5. EDMM_A_CTR (München Radar), 129.100
 6. EDMM_Z_CTR (München Radar), 134.150
 7. EDMM_CTR (München Radar), 124.050
 8. EURM_CTR (Maastricht Radar), 135.450
- Remark: EURM_CTR is an ATS unit of EuroCenter vACC.

2.2.1.6 Sector Alpen (ALP)

Lateral limits: see Appendix B

Vertical limits: FL315 - FL660

Responsible ATS unit (in order of precedence):

1. EDUU_L_CTR (München Radar), 127.300
 2. EDUU_D_CTR (München Radar), 132.720
 3. EDUU_R_CTR (München Radar), 136.400
 4. EDMM_Z_CTR (München Radar), 134.150
 5. EDMM_R_CTR (München Radar), 132.550
 6. EDMM_CTR (München Radar), 124.050
 7. EURM_CTR (Maastricht Radar), 135.450
- Remark: EURM_CTR is an ATS unit of EuroCenter vACC.

2.2.1.7 Sector München Arrival South Low (DMSL).

Lateral limits: see Appendix A

Vertical limits: GND – FL095

Responsible ATS unit (in order of precedence):

1. EDDM_S_APP (München Radar), 127.950
2. EDDM_N_APP (München Radar), 123.900
3. EDDM_2_APP (München Radar), 120.770
4. EDDM_1_APP (München Radar), 128.020
5. EDMM_Z_CTR (München Radar), 134.150
6. EDMM_R_CTR (München Radar), 132.550
7. EDMM_CTR (München Radar), 124.050

2.2.1.8 Sector München Arrival South High (DMSH).

Lateral limits: see Appendix A

Vertical limits: FL095 – FL195

Responsible ATS unit (in order of precedence):

1. EDDM_2_APP (München Radar), 120.770
2. EDDM_1_APP (München Radar), 128.020
3. EDDM_S_APP (München Radar), 127.950
4. EDDM_N_APP (München Radar), 123.900
5. EDMM_Z_CTR (München Radar), 134.150
6. EDMM_R_CTR (München Radar), 132.550
7. EDMM_CTR (München Radar), 124.050

2.2.2 Wien FIR

2.2.2.1 LOWL APP

Lateral limits: WL - LOWL (see Appendix A)

Vertical limits: GND – FL165

Responsible ATS unit (in order of precedence):

1. LOWL_APP (Linz Radar) 129.625
2. LOVV_N_APP (Wien Radar) 123.725
3. LOVV_L_CTR (Wien Radar) 129.200
4. LOVV_N_CTR (Wien Radar), 134.350
5. LOVV_E_CTR (Wien Radar), 135.625
6. LOVV_CTR (Wien Radar), 132.600
7. LOVV_C_CTR (Wien Radar), 118.725

2.2.2.2 Sector N1

Lateral limits: Sector N (see Appendix A)

Vertical limits: FL165 – FL305

Responsible ATS unit (in order of precedence):

1. LOVV_F_CTR (Wien Radar), 128.700
2. LOVV_N_CTR (Wien Radar), 134.350
3. LOVV_E_CTR (Wien Radar), 135.625
4. LOVV_CTR (Wien Radar), 132.600
5. LOVV_C_CTR (Wien Radar), 118.725
6. EURM_CTR (Maastricht Radar), 135.450 (above FL245)
Remark: EURM_CTR is an ATS unit of EuroCenter vACC.

2.2.2.3 Sector N25

Lateral limits: Sector N (see Appendix A)

Vertical limits: FL305 – FL660

Responsible ATS unit (in order of precedence):

1. LOVV_U_CTR (Wien Radar) 131.350
2. LOVV_N_CTR (Wien Radar), 134.350
3. LOVV_E_CTR (Wien Radar), 135.625
4. LOVV_CTR (Wien Radar), 132.600
5. LOVV_C_CTR (Wien Radar), 118.725
6. EURM_CTR (Maastricht Radar), 135.450 (above FL245)
Remark: EURM_CTR is an ATS unit of EuroCenter vACC.

2.2.2.3 LOWS APP

Lateral limits: WS - LOWS (see Appendix A)

Vertical limits: GND – FL125

Responsible ATS unit (in order of precedence):

1. LOWS_APP (Salzburg Radar) 123.725
2. LOVV_N_APP (Wien Radar) 123.725
3. LOVV_L_CTR (Wien Radar) 129.200
4. LOVV_B_CTR (Wien Radar), 126.275
5. LOVV_W_CTR (Wien Radar), 129.125
6. LOVV_N_CTR (Wien Radar), 134.350
7. LOVV_CTR (Wien Radar), 132.600
8. LOVV_C_CTR (Wien Radar), 118.725

2.2.2.3 Sector B1.

Lateral limits: Sector B (see Appendix A)

Vertical limits: FL125 – FL305

Responsible ATS unit (in order of precedence):

1. LOVV_B_CTR (Wien Radar), 126.275
 2. LOVV_W_CTR (Wien Radar), 129.125
 3. LOVV_N_CTR (Wien Radar), 134.350
 4. LOVV_CTR (Wien Radar), 132.600
 5. LOVV_C_CTR (Wien Radar), 118.725
 6. EURM_CTR (Maastricht Radar), 135.450 (above FL245)
- Remark: EURM_CTR is an ATS unit of EuroCenter vACC.

2.2.2.4 Sector B25

Lateral limits: Sector B (see Appendix A)

Vertical limits: FL305 – FL660

Responsible ATS unit (in order of precedence):

1. LOVV_U_CTR (Wien Radar) 131.350
 2. LOVV_B_CTR (Wien Radar), 126.275
 3. LOVV_W_CTR (Wien Radar), 129.125
 4. LOVV_N_CTR (Wien Radar), 134.350
 5. LOVV_CTR (Wien Radar), 132.600
 6. LOVV_C_CTR (Wien Radar), 118.725
 7. EURM_CTR (Maastricht Radar), 135.450 (above FL245)
- Remark: EURM_CTR is an ATS unit of EuroCenter vACC.

2.2.2.5 LOWI APP

Lateral limits: WI - LOWI (see Appendix A)

Vertical limits: GND – FL165

Responsible ATS unit (in order of precedence):

1. LOWI_APP (Innsbruck Radar) 128.975
2. LOVV_L_CTR (Wien Radar) 129.200
3. LOVV_W_CTR (Wien Radar), 129.125
4. LOVV_S_CTR (Wien Radar), 133.800
5. LOVV_B_CTR (Wien Radar), 126.275
6. LOVV_CTR (Wien Radar), 132.600

2.2.2.6 Sector W1

Lateral limits: Sector W (see Appendix A)

Vertical limits: FL165-FL305

Responsible ATS unit (in order of precedence):

1. LOVV_W_CTR (Wien Radar), 129.125
 2. LOVV_S_CTR (Wien Radar), 133.800
 3. LOVV_B_CTR (Wien Radar), 126.275
 4. LOVV_CTR (Wien Radar), 132.600
 5. LOVV_C_CTR (Wien Radar), 118.725
 6. EURM_CTR (Maastricht Radar), 135.450 (above FL245)
- Remark: EURM_CTR is an ATS unit of EuroCenter vACC.

2.2.2.7 Sector W25

Lateral limits: Sector W (see Appendix A)

Vertical limits: FL305 - FL660

Responsible ATS unit (in order of precedence):

1. LOVV_U_CTR (Wien Radar), 131.350
 2. LOVV_W_CTR (Wien Radar), 129.125
 3. LOVV_S_CTR (Wien Radar), 133.800
 4. LOVV_B_CTR (Wien Radar), 126.275
 5. LOVV_CTR (Wien Radar), 132.600
 6. LOVV_C_CTR (Wien Radar), 118.725
 7. EURM_CTR (Maastricht Radar), 135.450 (above FL245)
- Remark: EURM_CTR is an ATS unit of EuroCenter vACC.

2.3 Delegation of the Responsibility for the Provision of ATS.

2.3.1 General

2.3.1.1 Generally the airspace west of the Rocky-Line (see Appendix B) is permanently delegated from LOVV to EDMM, except the AoR Innsbruck.
(Note: For detailed coordinates refer to GNG (<http://www.gng.aero-nav.com/>))

2.3.1.2 Generally the airspace east of the Rocky-Line (see Appendix B) is permanently delegated from EDMM to LOVV, except the AoR Innsbruck.
(Note: For detailed coordinates refer to GNG (<http://www.gng.aero-nav.com/>))

2.3.2 Delegation of ATS from München FIR to Wien FIR

2.3.2.1 Königssee Area

The airspace overhead the Area Königssee (see Appendix B) is permanently delegated from EDMM to WS GND - FL125.

(Note: For detailed coordinates refer to GNG (<http://www.gng.aero-nav.com/>)).

3

Procedures for Coordination.

3.1 Definitions

A release is an authorization for the accepting ATS unit to climb, descend and/or turn (by no more than 45°) a specific aircraft before the transfer of control point. The transferring ATS unit remains responsible for separation within its Area of Responsibility unless otherwise agreed.

Wherever VATSIM callsigns are used to describe the terms of a certain procedure, this procedure is also applicable for all higher stations that take over the responsibilities of said station. E.g., procedures for an APP-stations are also applicable for the respective CTR station fulfilling the duties of said APP station.

The use of VATSIM callsigns in this document includes any variation of said callsign. E.g. any procedure applicable for EDMM_CTR may also be used by EDMM_X_CTR or EDUU_X_CTR.

3.2 General Conditions

Coordination of flights shall take place via the agreed coordination points (COP).

Coordinated flights shall be handed off via a valid COP. Any deviation shall be coordinated verbally, by text or by Euroscope inter-sector coordination.

Traffic shall be handed off at the levels, defined in the regulations below. If a specified level restriction cannot be met due to a lower RFL, traffic shall be handed off at RFL, if this does not cause a conflict with any other traffic. Otherwise traffic shall be coordinated.

If a traffic situation is not covered herein or closely matching a covered one, individual coordination between the concerned sectors shall be made.

After Transfer of communications, traffic is NOT released for climb, descent or turns until Transfer of control or otherwise specified in this Letter of Agreement.

↓FLxxx / ↑FLxxx means „descending / climbing to a specified FL“, without any further restriction. Any required crossing/speed restriction shall be added separately. At level means that the aircraft shall be in level flight on a published flight level and in accordance with east/west odd/even policy.

3.3 IFR flights from München FIR to Wien FIR.

| Concerned Airport | COP | Level Allocation | Special Conditions |
|---------------------------|------------------------------------|-----------------------|------------------------------|
| LOWI | Via RTT | ↓FL130 | Clear of W sector, Note A |
| | Via ELMEM | ↓FL150 | Note A |
| LOWL | AKIMA/ DEXIT | FL160 | At FL |
| | INPUL | FL270 | At FL |
| LOWS | TITIG/ TRAUN/ MEBEK (via BADIT) | ↓8000ft (QNH EDDM) | |
| | UNKEN | FL130 | Note B |
| | BIBAG (via BADIT) | ↓9000ft (QNH EDDM) | BIBAG FL100B, Note C |
| LOWG/ LOWK/ LOXZ/ LJLJ | LoR | FL330 | At FL |
| LOWW | LoR | FL350 | At FL |
| LDZA/ LJMB/ LIPZ | LoR | FL350 | At FL |
| LSZH | LoR | ↑FL330 | LoR FL310A |
| EDDM | AKIMA | ↑FL270 | Rocky Line FL170A |
| | MEBEK | ↑FL190 | Rocky Line FL100A |
| | RADIZ/ LATLO/ MODSA | ↑FL290 | Rocky Line FL180A |
| EDMA/ EDMO | RADIZ/ LATLO/ MODSA | ↑FL290 | Rocky Line FL180A |

Note A: released for descent and turns after passing release line Innsbruck

Note B: 10nm west of UNKEN at FL. Passing of Rocky Line at FL120 or below will be assured by LOWS_APP

Note C: released for descent after passing BIBAG

3.4 IFR flights from Wien FIR to München FIR.

| Concerned Airport | COP | Level Allocation | Special Conditions |
|-------------------|--------------|-----------------------|--|
| EDDM | AMADI | FL130 | At FL, Note A |
| | REDBU | FL140 | At FL, Note A |
| EDDN | SUBEN | FL300 | At FL |
| EDMA/ EDMO | TRAUN/ TITIG | ↓FL160 | LoR FL190B |
| EDDS | TITIG/KIRDI | FL300 | At FL |
| | ERKIR | FL340 | At FL |
| EDNY/ EDJA/ LSZR | TRAUN | FL300 | At FL |
| | ERKIR | FL260 | At FL |
| LSZH | ERKIR | FL340 | At FL |
| Praha FIR | DEXIT/ LAMSI | FL300 | At FL |
| | SIMBA | FL320 | At FL |
| LOWI | ALL SIDs | ↑FL160 | |
| LOWL | RENKA | ↑FL160 | |
| | LAMSI | ↑FL160 | |
| | SUBEN | ↑FL140 | Released for climb FL160 20nm from SUBEN |
| LOWS | TRAUN/ SIMBA | ↑FL120 | |
| | TITIG | ↑9000ft (QNH LOWS) | Released for climb FL120 |

Note A: If traffic situation permits and with approval of EDDM_APP the entry conditions may be altered to “descending FL190 or below”. ACC Wien shall assure separation between involved flights until passing NAPSA.

3.5 VFR flights from München FIR to Wien FIR

For controlled VFR flights and VFR at night flights above 2500 feet GND coordination, transfer of control and transfer of communication shall take place as for IFR flights. Uncontrolled VFR flights shall be transferred to the appropriate sector if in radio contact. If online, LOVV_I_CTR (Wien Information), 124.400, shall be the primary sector for uncontrolled VFR flights.

3.6 VFR flights from Wien FIR to München FIR

For controlled VFR flights and VFR at night flights above 2500 feet GND coordination, transfer of control and transfer of communication shall take place as for IFR flights. Uncontrolled VFR flights shall be transferred to the appropriate sector if in radio contact. If online, EDMM_I_CTR (Langen Information), 120.650, shall be the primary sector for uncontrolled VFR flights.

4 Special Procedures

4.1 Releases from LOVV_CTR to EDMM_CTR

- 4.1.1 EDMM_CTR may clear flights
- from/abeam SBG VOR direct to any position within AoR München.
 - Direct to STEIN, SASAL, TOVKA, MAREG or ABLOM entering LOVV airspace.
- 4.1.2 EDMM_CTR may turn flights
- Planned via SUBEN/RENKA/LAMSI/DEXIT 10nm east of ROCKY Line

4.2 Releases from EDMM_CTR to LOVV_CTR

- 4.2.1 LOVV_CTR may clear flights
- With ADES EDDS planned via TITIG/KIRDI with an RFL of FL200 or above direct OTT VOR.
 - Planned via LALIN direct to LALIN
- 4.2.2 LOVV_CTR may turn flights
- Planned via L725 to the right when passing UNKEN.
 - Planned via LATLO, VAROB or MODSA after passing L725

4.3 LOWI Procedures

- LOWI_APP may turn and descend flights with ADES LOWI passing the release line Innsbruck.
- LOWI_APP may use a 3nm surveillance separation minimum south of the release line Innsbruck as long as all aircraft concerned are on the frequency of LOWI_APP
- EDMM_CTR may clear flights with ADES LOWI planned via ELMEM direct to ELMEM and flights planned via RTT direct to RTT.
- LOWI_APP may clear flights direct to KONIN/KOGOL/KPT
- LOWI_APP may clear flights ADES EDDM direct to ANDEC

4.4 EDDM Procedures

- Flights ADEP EDDM are released for climb by EDMM_CTR to ACC-B1 up to FL230 without further coordination.
- Separation minima for ARR EDDM are reduced to at least 7nm
- If traffic situation permits and with approval of EDDM_APP the entry conditions via AMADI/REDBU may be altered to “descending FL190 or below”. ACC Wien shall assure separation between involved flights until passing NAPSA.
- Flights ADES EDDM/MA/MO are released for descent and turns within ACC B1 after passing Release Line München (see Appendix B).
- With approval of LOWS_APP, EDDM_APP may descend flights ADES EDDM/MA/MO further to FL095 after passing Release Line München (see Appendix B). EDDM_APP shall ensure separation within LOWS TMA.
Note: Traffic within LOWS TMA could be cleared on an altitude, instead of a flight level. Especially flights ADEP LOWS via TITIG climbing 9000 ft (QNH LOWS) are potential conflicting traffic.

5 Transfer of Control and Transfer of Communications

5.1 Transfer of Control

Transfer of Control shall take place at the AoR boundary.

If the downstream sector in EuroScope is set to *>.break<*, the procedure 5.4 is suspended and transfer of communication can only take place after the downstream sector has assumed the flight via the appropriate function of the radar client.

If it becomes necessary to reduce or suspend transfers, a 5 minute prior notification is required.

When transfers are suspended, the hand-off procedure (5.4) is suspended.

5.2 Silent transfer of control

The following values for silent transfer of control apply:

- If preceding aircraft is faster: 10nm
- If preceding aircraft is faster (ADES EDDM): 7nm
- If succeeding aircraft is faster by 40kts/M0.1 or less: 30nm
- If succeeding aircraft is faster by 20kts/M0.05 or less: 20nm

5.3 Transfer of Communications

Transfer of Communications shall take place no later than Transfer of Control.

5.4 Hand-Off procedure:

Unless otherwise agreed between stations online, the following hand-off procedure shall apply:

1. The upstream sector sends the aircraft to the frequency of the downstream sector by voice or text.
2. The upstream sector initiates a transfer via the appropriate function of the radar client.
3. Upon initial call the downstream sector assumes the flight via the appropriate function of the radar client.

5.5 SSR Code Assignment

Both ATS units shall transfer flights on verified discrete SSR codes. Any change of SSR code by the accepting ATS unit may only take place after the transfer of control point.

Appendix A

Sectorisation.


A.1: LOVV



A.2: EDMM



RG MÜNCHEN SECTORS OVERVIEW



Appendix B

Lines Definition.

